TrakFastTM 800 For Ceiling, Partitioning & General Contractors









Battery & Fuel Gauge /

Description

The Ramset[™] TrakFast[™]800 is the most technologically advanced gas tool on the market. The new TrakFast[™]800 offers a number of innovative features allowing quicker, safer installation of partition track, pest control mesh and formwork systems. With the 50-pin magazine and extra power, the speed at which TrakFast[™]800 is able to perform installations provides tremendous savings in total installed cost.

Specifications

Weight	3.8kg		
Height	309mm		
Length	396mm		
Marazina Canacity	20 (+3) pin magazine,		
Magazine Capacity	50 (+3) pin magazine		
Impact Force	100J		
Actuation Pressure	5kg		
Overdrive	4mm		
Intermittent Operation	2 pins per second		
Fuel Cell Life	600 pins (approx)		
Battery Charge Capacity	3,000 pins (approx)		
Battery Voltage	3.7V Lithium-ion		
Battery Charge Time	90mins (25mins for 500 fixings)		
Power Regulation	Automatic		
Operating Temperature	5°C to 10°C		
Range	-5°C to 49°C		

Substrates Concrete, Composite Steel Decking, Solid Brick, Precast Concrete, Steel Pre-stressed concrete, Hollow Block Wall, Reinforced Concrete, Reinforced Prefabricated Concrete



Features & Benefits

- Massive 100J power Consistent fixings even in extreme applications.
- Compact design with 20-pin magazine Allows the tool to fit in tight spaces.
- Optional 50-pin magazine reduces downtime in loading the magazine.
- Battery Gauge Helps avoid running out of battery power.
- Fuel Cell Gauge Always know when to change fuel cells.
- Lithium Battery Fast Charge, Long Life.
- · Tool-less Depth of Drive Adjustment.
- Power Saving Technology isolates battery when tool is not in use.
- · Easily removable fastener guide and magazine.
- Greater tool clearance Allows the tool to fit in close to edge applications.
- Greater track clearance Allows the tool to fit in deep track, up to 57mm.
- Removable Support Leg Ensures tool is at 90° to work surface for optimum fixings.
- Electronically controlled fuel injection Ensures consistent power in a wide temperature range.
- · Low maintenance. Designed to work in all conditions.

TrakFast[™] 800 Accessories & Consumables



Trades & Applica	Ceiling and Partitioning Contractor	Door & Window Contractor	Wet Trade Contractor	Pest Control Contractor
Track to concrete	✓			
Track to steel	\checkmark			
Plywood to steel			✓	
Sacrificial steel formwork to	steel		✓	<u> </u>
Pest control mesh to concre	te			\checkmark
Wall-tie & bonding bar		✓	✓	
TrakFast TM 800 Part No	Description	Order Qty		
9A-TRAK-FAST	TrakFast [™] Pulsa [™] Gas Tool + 2 x Lithium-Ion Batteries	1		
Kit includes: TrakFast™800 Too	ol, 20-pin magazine, high impact carry case, 2 batte	ries, battery charger,		
Accessories Part No	Description	Order Qty		0
9A-TRAK-20MG *	Pulsa 800 20 Pin Magazine (a)	1	6.	
	Dulas 200 E0 Din Magazina (h)	1		1 in
9A-TRAK-50MG *	Pulsa 800 50 Pin Magazine (b)			
9A-TRAK-50MG * 9A-TRAK-BATT	Pulsa 800 Lithium-ion Battery (c)	1		
9A-TRAK-BATT				
9A-TRAK-BATT 9A-TRAK-CHAR	Pulsa 800 Lithium-ion Battery (c)	1		
9A-TRAK-BATT 9A-TRAK-CHAR 9A-TRAK-MAGH *	Pulsa 800 Lithium-ion Battery (c) Pulsa 800 Lithium-ion Battery Charger (d)	1 1	-	
9A-TRAK-BATT 9A-TRAK-CHAR 9A-TRAK-MAGH *	Pulsa 800 Lithium-ion Battery (c) Pulsa 800 Lithium-ion Battery Charger (d) Pulsa 800 Magnetic Washer Adaptor (e)	1 1 1		
9A-TRAK-BATT 9A-TRAK-CHAR 9A-TRAK-MAGH * 9A-TRAK-CMFG *	Pulsa 800 Lithium-ion Battery (c) Pulsa 800 Lithium-ion Battery Charger (d) Pulsa 800 Magnetic Washer Adaptor (e) CableMaster™800 Fastener Guide	1 1 1 1		
9A-TRAK-BATT 9A-TRAK-CHAR 9A-TRAK-MAGH * 9A-TRAK-CMFG * 9A-TRAK-TFFG * 9A-TRAK-DLUB * Heavy Duty Pin I Fixing The Ramset [™] range of F concrete applications.	Pulsa 800 Lithium-ion Battery (c) Pulsa 800 Lithium-ion Battery Charger (d) Pulsa 800 Magnetic Washer Adaptor (e) CableMaster TM 800 Fastener Guide TrakFast TM 800 Fastener Guide	1 1 1 1 1 1 2 0ncrete		Bamset
9A-TRAK-BATT 9A-TRAK-CHAR 9A-TRAK-MAGH * 9A-TRAK-CMFG * 9A-TRAK-TFFG * 9A-TRAK-DLUB * Heavy Duty Pin I Fixing The Ramset [™] range of F concrete applications.	Pulsa 800 Lithium-ion Battery (c) Pulsa 800 Lithium-ion Battery Charger (d) Pulsa 800 Magnetic Washer Adaptor (e) CableMaster™800 Fastener Guide TrakFast™800 Fastener Guide Gas Tool Degreaser and Lubricant Range for Steel and Hard (Premium Drive Pins has been designed	1 1 1 1 1 1 2 0ncrete		Ramset
9A-TRAK-BATT 9A-TRAK-CHAR 9A-TRAK-MAGH * 9A-TRAK-CMFG * 9A-TRAK-TFFG * 9A-TRAK-DLUB * Heavy Duty Pin I Fixing The Ramset [™] range of F concrete applications. Specifications	Pulsa 800 Lithium-ion Battery (c) Pulsa 800 Lithium-ion Battery Charger (d) Pulsa 800 Magnetic Washer Adaptor (e) CableMaster™800 Fastener Guide TrakFast™800 Fastener Guide Gas Tool Degreaser and Lubricant Range for Steel and Hard (Premium Drive Pins has been designed Carbon Steel	1 1 1 1 1 1 1 for steel and hard		Ramset
9A-TRAK-BATT 9A-TRAK-CHAR 9A-TRAK-MAGH * 9A-TRAK-CMFG * 9A-TRAK-TFFG * 9A-TRAK-DLUB * Heavy Duty Pin I Fixing The Ramset [™] range of F concrete applications. Specifications Raw Material	Pulsa 800 Lithium-ion Battery (c) Pulsa 800 Lithium-ion Battery Charger (d) Pulsa 800 Magnetic Washer Adaptor (e) CableMaster™800 Fastener Guide TrakFast™800 Fastener Guide Gas Tool Degreaser and Lubricant Range for Steel and Hard (Premium Drive Pins has been designed Carbon Steel Zinc Mechanically Plated (Min. co	1 1 1 1 1 1 1 for steel and hard		Ramset
9A-TRAK-BATT 9A-TRAK-CHAR 9A-TRAK-CMFG * 9A-TRAK-CMFG * 9A-TRAK-TFFG * 9A-TRAK-DLUB * Heavy Duty Pin I Fixing The Ramset [™] range of F concrete applications. Specifications Raw Material Corrosion Protection	Pulsa 800 Lithium-ion Battery (c) Pulsa 800 Lithium-ion Battery Charger (d) Pulsa 800 Magnetic Washer Adaptor (e) CableMaster™800 Fastener Guide TrakFast™800 Fastener Guide Gas Tool Degreaser and Lubricant Range for Steel and Hard (Premium Drive Pins has been designed Carbon Steel Zinc Mechanically Plated (Min. co r 6.4mm	1 1 1 1 1 1 1 for steel and hard		Ramset
9A-TRAK-BATT 9A-TRAK-CHAR 9A-TRAK-CMAGH * 9A-TRAK-CMFG * 9A-TRAK-TFFG * 9A-TRAK-DLUB * Heavy Duty Pin I Fixing The Ramset TM range of F concrete applications. Specifications Raw Material Corrosion Protection Nominal Head Diamete	Pulsa 800 Lithium-ion Battery (c) Pulsa 800 Lithium-ion Battery Charger (d) Pulsa 800 Magnetic Washer Adaptor (e) CableMaster™800 Fastener Guide TrakFast™800 Fastener Guide Gas Tool Degreaser and Lubricant Range for Steel and Hard (Premium Drive Pins has been designed Carbon Steel Zinc Mechanically Plated (Min. co r 6.4mm	1 1 1 1 1 1 1 for steel and hard		Ramset
9A-TRAK-BATT 9A-TRAK-CHAR 9A-TRAK-CMFG * 9A-TRAK-CMFG * 9A-TRAK-TFFG * 9A-TRAK-DLUB * Heavy Duty Pin I Fixing The Ramset [™] range of F concrete applications. Specifications Raw Material Corrosion Protection Nominal Head Diamete Nominal Shank Diamete	Pulsa 800 Lithium-ion Battery (c) Pulsa 800 Lithium-ion Battery Charger (d) Pulsa 800 Magnetic Washer Adaptor (e) CableMaster™800 Fastener Guide TrakFast™800 Fastener Guide Gas Tool Degreaser and Lubricant Range for Steel and Hard (Premium Drive Pins has been designed Carbon Steel Zinc Mechanically Plated (Min. co r 6.4mm er 3.0 / 2.7mm	1 1 1 1 1 1 1 for steel and hard		Ramset
9A-TRAK-BATT 9A-TRAK-CHAR 9A-TRAK-CMFG * 9A-TRAK-CMFG * 9A-TRAK-TFFG * 9A-TRAK-DLUB * Heavy Duty Pin I Fixing The Ramset [™] range of F concrete applications. Specifications Raw Material Corrosion Protection Nominal Head Diamete Nominal Shank Diamet Shear Strength	Pulsa 800 Lithium-ion Battery (c) Pulsa 800 Lithium-ion Battery Charger (d) Pulsa 800 Magnetic Washer Adaptor (e) CableMaster™800 Fastener Guide TrakFast™800 Fastener Guide Gas Tool Degreaser and Lubricant Range for Steel and Hard (Premium Drive Pins has been designed Carbon Steel Zinc Mechanically Plated (Min. comment r 6.4mm er 3.0 / 2.7mm 1200N/mm²	1 1 1 1 1 1 1 for steel and hard		Ramset
9A-TRAK-BATT 9A-TRAK-CHAR 9A-TRAK-MAGH * 9A-TRAK-CMFG * 9A-TRAK-TFFG * 9A-TRAK-TFFG * 9A-TRAK-DLUB * Heavy Duty Pin I Fixing The Ramset [™] range of F concrete applications. Specifications Raw Material Corrosion Protection Nominal Head Diamete Nominal Shank Diamet Shear Strength Tensile Strength	Pulsa 800 Lithium-ion Battery (c) Pulsa 800 Lithium-ion Battery Charger (d) Pulsa 800 Magnetic Washer Adaptor (e) CableMaster™800 Fastener Guide TrakFast™800 Fastener Guide Gas Tool Degreaser and Lubricant Range for Steel and Hard (Premium Drive Pins has been designed Carbon Steel Zinc Mechanically Plated (Min. comment er 3.0 / 2.7mm 1200N/mm²	1 1 1 1 1 1 1 for steel and hard	Length	order Qty
9A-TRAK-BATT 9A-TRAK-CHAR 9A-TRAK-CMFG * 9A-TRAK-CMFG * 9A-TRAK-TFFG * 9A-TRAK-DLUB * Heavy Duty Pin F Fixing The Ramset™ range of F concrete applications. Specifications Raw Material Corrosion Protection Nominal Head Diamete Nominal Shank Diamete Shear Strength Tensile Strength Hardness	Pulsa 800 Lithium-ion Battery (c) Pulsa 800 Lithium-ion Battery Charger (d) Pulsa 800 Magnetic Washer Adaptor (e) CableMaster™800 Fastener Guide TrakFast™800 Fastener Guide Gas Tool Degreaser and Lubricant Range for Steel and Hard (Premium Drive Pins has been designed Carbon Steel Zinc Mechanically Plated (Min. corr er 3.0 / 2.7mm 1200N/mm² 1950N/mm² 53-56HR _c	1 1 1 1 1 1 1 for steel and hard		

22mm

500

10 strip collation (suitable for use in 20 and 50-pin magazines) + 1 x Pulsa 800 Fuel Cell

Premium Hard Concrete/Steel

* Non stocking item

9A-TRAK-HC22



Stainless Steel Pin for Special Applications

The Ramset[™] SS6 Stainless Steel Pins has been designed for special applications such as fixing wall tie and bonding bar systems to precast and reinforced concrete columns or walls.

Specifications

•		
Raw Material	Stainless Steel Grade 304	
Nominal Head Diameter	6.4mm	
Nominal Shank Diameter	2.6mm	
Pull-out Strength	Exceeds 1kN (in concrete)	

Part No	Description	Length	Order Qty	
9A-TRAK-SS619	Stainless Steel Pins SS6-19	19mm	500	

10 strip collation (suitable for use in 20 and 50-pin magazines) + 1 x Pulsa 800 Fuel Cell

Recommended Loading

HC6 Pins	Hnom	Characteristic Resistance		Recommended Load*	
		Tension N _{rk} (kN)	Shear N _{rk} (kN)	Tension N _{rk} (kN)	Shear N _{rk} (kN)
C20/25 to C60/70	H _{nom} = 10mm	0.34	0.10 0.75 0.40 0.47	0.10	0.25
	H _{nom} = 15mm	0.87		0.30	
	H _{nom} = 18mm	1.19		0.40	
	H _{nom} = 20mm	1.41		0.47	
Steel = 410-450 N/mm ² Steel = 500-550 N/mm ²	H _{nom} = 6.5mm	5.0	3.6	1.5	1.2

* The above information is for reference only. On-site testing is recommended.

Office address:



TRUONG AN PHU CONSTRUCTION TRADING CO., LTD.

24A Bui Dinh Tuy Str., Ward 26, Binh Thanh Dist., Ho Chi Minh City, Vitenam Tel.: (+84) 28-3511.8693 | Email: tapcon@tapcon.com.vn